

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		3	3
		% within Sex		25.0%	11.5%
	20-24	Count	1	1	2
		% within Sex	7.1%	8.3%	7.7%
	25-29	Count	1	1	2
		% within Sex	7.1%	8.3%	7.7%
	30-39	Count	6	3	9
		% within Sex	42.9%	25.0%	34.6%
	40-49	Count	4	4	8
		% within Sex	28.6%	33.3%	30.8%
	50-59	Count	2		2
		% within Sex	14.3%		7.7%
Total	Count	14	12	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	2	9
		% within Sex	50.0%	16.7%	34.6%
	African American	Count	6	9	15
		% within Sex	42.9%	75.0%	57.7%
	Not Specified	Count	1	1	2
		% within Sex	7.1%	8.3%	7.7%
Total	Count	14	12	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	28.6%		15.4%
	IDU	Count	1	2	3
		% within Sex	7.1%	16.7%	11.5%
	M-M & IDU	Count	3		3
		% within Sex	21.4%		11.5%
	Heterosexual Contact	Count	1	2	3
		% within Sex	7.1%	16.7%	11.5%
	Transfusion	Count		1	1
		% within Sex		8.3%	3.8%
	Not Classified	Count	5	7	12
		% within Sex	35.7%	58.3%	46.2%
Total	Count	14	12	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	34.6%	34.6%
	African American	Count	15	15
		% within Adult-Ped	57.7%	57.7%
	Not Specified	Count	2	2
		% within Adult-Ped	7.7%	7.7%
Total	Count	26	26	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	14	14
		% within Adult-Ped	53.8%	53.8%
	Female	Count	12	12
		% within Adult-Ped	46.2%	46.2%
Total		Count	26	26
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		4.0%	2.3%
	13-19	Count		6	6
		% within Sex		24.0%	13.6%
	20-24	Count	4	9	13
		% within Sex	21.1%	36.0%	29.5%
	25-29	Count	5	3	8
		% within Sex	26.3%	12.0%	18.2%
	30-39	Count	3	2	5
		% within Sex	15.8%	8.0%	11.4%
	40-49	Count	5	1	6
		% within Sex	26.3%	4.0%	13.6%
Total	50-59	Count	1	2	3
		% within Sex	5.3%	8.0%	6.8%
	60-69	Count		1	1
		% within Sex		4.0%	2.3%
	Unknown	Count	1		1
		% within Sex	5.3%		2.3%
Total			19	25	44
			100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	13	4	17
		% within Sex	68.4%	16.0%	38.6%
	African American	Count	6	20	26
		% within Sex	31.6%	80.0%	59.1%
	Hispanic	Count		1	1
		% within Sex		4.0%	2.3%
Total	Count	19	25	44	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6		6
		% within Sex	31.6%		13.6%
	IDU	Count	3	3	6
		% within Sex	15.8%	12.0%	13.6%
	M-M & IDU	Count	2		2
		% within Sex	10.5%		4.5%
	Heterosexual Contact	Count	3	9	12
		% within Sex	15.8%	36.0%	27.3%
	Not Classified	Count	5	12	17
		% within Sex	26.3%	48.0%	38.6%
	Ped Parent at Risk	Count		1	1
		% within Sex		4.0%	2.3%
Total	Count	19	25	44	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count		16	1	17
		% within Adult-Ped		38.1%	100.0%	38.6%
	African American	Count	1	25		26
		% within Adult-Ped	100.0%	59.5%		59.1%
	Hispanic	Count		1		1
		% within Adult-Ped		2.4%		2.3%
Total	Count	1	42	1	44	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count		18	1	19
		% within Adult-Ped		42.9%	100.0%	43.2%
	Female	Count	1	24		25
		% within Adult-Ped	100.0%	57.1%		56.8%
Total		Count	1	42	1	44
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		3.9%	2.2%
	1 (12-23 mo)	Count	1		1
		% within Sex	2.4%		1.1%
	2-4	Count		1	1
		% within Sex		2.0%	1.1%
	5-12	Count		1	1
		% within Sex		2.0%	1.1%
	13-19	Count		9	9
		% within Sex		17.6%	9.7%
	20-24	Count	7	14	21
		% within Sex	16.7%	27.5%	22.6%
	25-29	Count	9	4	13
		% within Sex	21.4%	7.8%	14.0%
	30-39	Count	11	7	18
		% within Sex	26.2%	13.7%	19.4%
	40-49	Count	10	8	18
		% within Sex	23.8%	15.7%	19.4%
	50-59	Count	3	2	5
		% within Sex	7.1%	3.9%	5.4%
	60-69	Count		3	3
		% within Sex		5.9%	3.2%
	Unknown	Count	1		1
		% within Sex	2.4%		1.1%
Total		Count	42	51	93
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	22	11	33
		% within Sex	52.4%	21.6%	35.5%
	African American	Count	18	38	56
		% within Sex	42.9%	74.5%	60.2%
	Hispanic	Count		1	1
		% within Sex		2.0%	1.1%
	Am Indian-Alaskan	Count	1		1
		% within Sex	2.4%		1.1%
	Not Specified	Count	1	1	2
		% within Sex	2.4%	2.0%	2.2%
Total	Count	42	51	93	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	14		14
		% within Sex	33.3%		15.1%
	IDU	Count	4	5	9
		% within Sex	9.5%	9.8%	9.7%
	M-M & IDU	Count	6		6
		% within Sex	14.3%		6.5%
	Heterosexual Contact	Count	6	16	22
		% within Sex	14.3%	31.4%	23.7%
	Transfusion	Count		1	1
		% within Sex		2.0%	1.1%
	Not Classified	Count	11	25	36
		% within Sex	26.2%	49.0%	38.7%
	Ped Parent at Risk	Count	1	4	5
		% within Sex	2.4%	7.8%	5.4%
Total	Count	42	51	93	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	31	1	33
		% within Adult-Ped	20.0%	35.6%	100.0%	35.5%
	African American	Count	4	52		56
		% within Adult-Ped	80.0%	59.8%		60.2%
	Hispanic	Count		1		1
		% within Adult-Ped		1.1%		1.1%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		1.1%		1.1%
	Not Specified	Count		2		2
		% within Adult-Ped		2.3%		2.2%
Total	Count	5	87	1	93	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	1	40	1	42
		% within Adult-Ped	20.0%	46.0%	100.0%	45.2%
	Female	Count	4	47		51
		% within Adult-Ped	80.0%	54.0%		54.8%
Total		Count	5	87	1	93
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		3.9%	2.2%
	1 (12-23 mo)	Count	1		1
		% within Sex	2.5%		1.1%
	2-4	Count		1	1
		% within Sex		2.0%	1.1%
	5-12	Count		1	1
		% within Sex		2.0%	1.1%
	13-19	Count		9	9
		% within Sex		17.6%	9.9%
	20-24	Count	7	14	21
		% within Sex	17.5%	27.5%	23.1%
	25-29	Count	9	4	13
		% within Sex	22.5%	7.8%	14.3%
	30-39	Count	9	7	16
		% within Sex	22.5%	13.7%	17.6%
	40-49	Count	10	8	18
		% within Sex	25.0%	15.7%	19.8%
	50-59	Count	3	2	5
		% within Sex	7.5%	3.9%	5.5%
	60-69	Count		3	3
		% within Sex		5.9%	3.3%
	Unknown	Count	1		1
		% within Sex	2.5%		1.1%
Total		Count	40	51	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count		1	1
		% within Sex		2.0%	1.1%
	5-12	Count	1	2	3
		% within Sex	2.5%	3.9%	3.3%
	13-19	Count		5	5
		% within Sex		9.8%	5.5%
	20-24	Count	3	9	12
		% within Sex	7.5%	17.6%	13.2%
	25-29	Count	9	10	19
		% within Sex	22.5%	19.6%	20.9%
	30-39	Count	11	8	19
		% within Sex	27.5%	15.7%	20.9%
Total	40-49	Count	8	10	18
		% within Sex	20.0%	19.6%	19.8%
	50-59	Count	8	3	11
		% within Sex	20.0%	5.9%	12.1%
	60-69	Count		3	3
		% within Sex		5.9%	3.3%
	Total	Count	40	51	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	20	11	31
		% within Sex	50.0%	21.6%	34.1%
	African American	Count	18	38	56
		% within Sex	45.0%	74.5%	61.5%
	Hispanic	Count		1	1
		% within Sex		2.0%	1.1%
	Am Indian-Alaskan	Count	1		1
		% within Sex	2.5%		1.1%
	Not Specified	Count	1	1	2
		% within Sex	2.5%	2.0%	2.2%
	Total	Count	40	51	91
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	12		12
		% within Sex	30.0%		13.2%
	IDU	Count	4	5	9
		% within Sex	10.0%	9.8%	9.9%
	M-M & IDU	Count	6		6
		% within Sex	15.0%		6.6%
	Heterosexual Contact	Count	6	16	22
		% within Sex	15.0%	31.4%	24.2%
	Transfusion	Count		1	1
		% within Sex		2.0%	1.1%
	Not Classified	Count	11	25	36
		% within Sex	27.5%	49.0%	39.6%
	Ped Parent at Risk	Count	1	4	5
		% within Sex	2.5%	7.8%	5.5%
Total	Count	40	51	91	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	29	1	31
		% within Adult-Ped	20.0%	34.1%	100.0%	34.1%
	African American	Count	4	52		56
		% within Adult-Ped	80.0%	61.2%		61.5%
	Hispanic	Count		1		1
		% within Adult-Ped		1.2%		1.1%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		1.2%		1.1%
	Not Specified	Count		2		2
		% within Adult-Ped		2.4%		2.2%
Total	Count	5	85	1	91	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	1	38	1	40
		% within Adult-Ped	20.0%	44.7%	100.0%	44.0%
	Female	Count	4	47		51
		% within Adult-Ped	80.0%	55.3%		56.0%
Total		Count	5	85	1	91
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	4.5%		3.6%
	25-29	Count	3	3	6
		% within Sex	13.6%	50.0%	21.4%
	30-39	Count	7	1	8
		% within Sex	31.8%	16.7%	28.6%
	40-49	Count	5	1	6
		% within Sex	22.7%	16.7%	21.4%
	50-59	Count	4	1	5
		% within Sex	18.2%	16.7%	17.9%
	60-69	Count	1		1
		% within Sex	4.5%		3.6%
	70+	Count	1		1
		% within Sex	4.5%		3.6%
Total		Count	22	6	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	3	8
		% within Sex	22.7%	50.0%	28.6%
	African American	Count	16	3	19
		% within Sex	72.7%	50.0%	67.9%
	Hispanic	Count	1		1
		% within Sex	4.5%		3.6%
Total	Count	22	6	28	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	11		11
		% within Sex	50.0%		39.3%
	IDU	Count	3	2	5
		% within Sex	13.6%	33.3%	17.9%
	M-M & IDU	Count	1		1
		% within Sex	4.5%		3.6%
	Heterosexual Contact	Count	1	1	2
		% within Sex	4.5%	16.7%	7.1%
	Not Classified	Count	6	3	9
		% within Sex	27.3%	50.0%	32.1%
Total	Count	22	6	28	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	28.6%	28.6%
	African American	Count	19	19
		% within Adult-Ped	67.9%	67.9%
	Hispanic	Count	1	1
		% within Adult-Ped	3.6%	3.6%
Total	Count	28	28	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	22	22
		% within Adult-Ped	78.6%	78.6%
	Female	Count	6	6
		% within Adult-Ped	21.4%	21.4%
Total		Count	28	28
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	3	4
		% within Sex	5.3%	27.3%	13.3%
	25-29	Count		3	3
		% within Sex		27.3%	10.0%
	30-39	Count	7	5	12
		% within Sex	36.8%	45.5%	40.0%
	40-49	Count	8		8
		% within Sex	42.1%		26.7%
	50-59	Count	3		3
		% within Sex	15.8%		10.0%
Total	Count	19	11	30	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	1	7
		% within Sex	31.6%	9.1%	23.3%
	African American	Count	11	9	20
		% within Sex	57.9%	81.8%	66.7%
	Hispanic	Count	1	1	2
		% within Sex	5.3%	9.1%	6.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	5.3%		3.3%
Total	Count	19	11	30	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8		8
		% within Sex	42.1%		26.7%
	IDU	Count		1	1
		% within Sex		9.1%	3.3%
	M-M & IDU	Count	2		2
		% within Sex	10.5%		6.7%
	Heterosexual Contact	Count		3	3
		% within Sex		27.3%	10.0%
	Transfusion	Count	2		2
		% within Sex	10.5%		6.7%
	Not Classified	Count	7	7	14
		% within Sex	36.8%	63.6%	46.7%
Total	Count	19	11	30	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	23.3%	23.3%
	African American	Count	20	20
		% within Adult-Ped	66.7%	66.7%
	Hispanic	Count	2	2
		% within Adult-Ped	6.7%	6.7%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	3.3%	3.3%
	Total		30	30
			100.0%	100.0%

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	19	19
		% within Adult-Ped	63.3%	63.3%
	Female	Count	11	11
		% within Adult-Ped	36.7%	36.7%
Total		Count	30	30
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	2	5
		% within Sex	1.0%	2.1%	1.3%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.3%	1.0%	.5%
	2-4	Count		1	1
		% within Sex		1.0%	.3%
	5-12	Count	2	1	3
		% within Sex	.7%	1.0%	.8%
	13-19	Count	1	3	4
		% within Sex	.3%	3.1%	1.0%
	20-24	Count	16	14	30
		% within Sex	5.5%	14.6%	7.8%
	25-29	Count	45	24	69
		% within Sex	15.5%	25.0%	17.8%
	30-39	Count	115	29	144
		% within Sex	39.5%	30.2%	37.2%
	40-49	Count	63	11	74
		% within Sex	21.6%	11.5%	19.1%
	50-59	Count	30	5	35
		% within Sex	10.3%	5.2%	9.0%
60-69	Count	10	5	15	
	% within Sex	3.4%	5.2%	3.9%	
70+	Count	5		5	
	% within Sex	1.7%		1.3%	
Total	Count	291	96	387	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	174	30	204
		% within Sex	59.8%	31.3%	52.7%
	African American	Count	102	61	163
		% within Sex	35.1%	63.5%	42.1%
	Hispanic	Count	7	4	11
		% within Sex	2.4%	4.2%	2.8%
	Am Indian-Alaskan	Count	8	1	9
		% within Sex	2.7%	1.0%	2.3%
Total	Count	291	96	387	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	150		150
		% within Sex	51.5%		38.8%
	IDU	Count	42	37	79
		% within Sex	14.4%	38.5%	20.4%
	M-M & IDU	Count	34		34
		% within Sex	11.7%		8.8%
	Hemophiliac	Count	4		4
		% within Sex	1.4%		1.0%
	Heterosexual Contact	Count	5	26	31
		% within Sex	1.7%	27.1%	8.0%
	Transfusion	Count	15	6	21
		% within Sex	5.2%	6.3%	5.4%
	Not Classified	Count	35	22	57
		% within Sex	12.0%	22.9%	14.7%
	Ped Hemophiliac	Count	1		1
		% within Sex	.3%		.3%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	1.4%	4.2%	2.1%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.3%	1.0%	.5%
Total	Count	291	96	387	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	199	204
		% within Adult-Ped	45.5%	52.9%	52.7%
	African American	Count	6	157	163
		% within Adult-Ped	54.5%	41.8%	42.1%
	Hispanic	Count		11	11
		% within Adult-Ped		2.9%	2.8%
	Am Indian-Alaskan	Count		9	9
		% within Adult-Ped		2.4%	2.3%
Total	Count	11	376	387	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	285	291
		% within Adult-Ped	54.5%	75.8%	75.2%
	Female	Count	5	91	96
		% within Adult-Ped	45.5%	24.2%	24.8%
Total		Count	11	376	387
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2		2
		% within Sex	1.6%		1.1%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.8%	1.9%	1.1%
	2-4	Count		1	1
		% within Sex		1.9%	.6%
	13-19	Count	1	2	3
		% within Sex	.8%	3.7%	1.7%
	20-24	Count	9	12	21
		% within Sex	7.3%	22.2%	11.8%
	25-29	Count	17	13	30
		% within Sex	13.7%	24.1%	16.9%
	30-39	Count	45	15	60
		% within Sex	36.3%	27.8%	33.7%
	40-49	Count	31	6	37
		% within Sex	25.0%	11.1%	20.8%
	50-59	Count	15	2	17
		% within Sex	12.1%	3.7%	9.6%
	60-69	Count	2	2	4
		% within Sex	1.6%	3.7%	2.2%
	70+	Count	1		1
		% within Sex	.8%		.6%
Total		Count	124	54	178
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1		1
		% within Sex	.8%		.6%
	5-12	Count	2	2	4
		% within Sex	1.6%	3.7%	2.2%
	20-24	Count	2	3	5
		% within Sex	1.6%	5.6%	2.8%
	25-29	Count	6	13	19
		% within Sex	4.8%	24.1%	10.7%
	30-39	Count	40	23	63
		% within Sex	32.3%	42.6%	35.4%
	40-49	Count	46	8	54
		% within Sex	37.1%	14.8%	30.3%
Total	50-59	Count	20	3	23
		% within Sex	16.1%	5.6%	12.9%
	60-69	Count	6		6
		% within Sex	4.8%		3.4%
	70+	Count	1	2	3
		% within Sex	.8%	3.7%	1.7%
	Total		Count	124	54
			% within Sex	100.0%	100.0%
					178
					100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	64	18	82
		% within Sex	51.6%	33.3%	46.1%
	African American	Count	53	31	84
		% within Sex	42.7%	57.4%	47.2%
	Hispanic	Count	6	4	10
		% within Sex	4.8%	7.4%	5.6%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.8%	1.9%	1.1%
	Total		Count	124	54
			% within Sex	100.0%	100.0%

a. HSDA = Lufkin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	63		63
		% within Sex	50.8%		35.4%
	IDU	Count	22	15	37
		% within Sex	17.7%	27.8%	20.8%
	M-M & IDU	Count	11		11
		% within Sex	8.9%		6.2%
	Hemophiliac	Count	1		1
		% within Sex	.8%		.6%
	Heterosexual Contact	Count	2	17	19
		% within Sex	1.6%	31.5%	10.7%
Transfusion		Count	3	3	6
		% within Sex	2.4%	5.6%	3.4%
Not Classified		Count	19	17	36
		% within Sex	15.3%	31.5%	20.2%
Ped Parent at Risk		Count	3	2	5
		% within Sex	2.4%	3.7%	2.8%
Total		Count	124	54	178
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	79	82
		% within Adult-Ped	60.0%	45.7%	46.1%
	African American	Count	2	82	84
		% within Adult-Ped	40.0%	47.4%	47.2%
	Hispanic	Count		10	10
		% within Adult-Ped		5.8%	5.6%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		1.2%	1.1%
Total		Count	5	173	178
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	121	124
		% within Adult-Ped	60.0%	69.9%	69.7%
	Female	Count	2	52	54
		% within Adult-Ped	40.0%	30.1%	30.3%
Total		Count	5	173	178
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	2	4
		% within Sex	1.2%	1.9%	1.5%
	1 (12-23 mo)	Count	2	1	3
		% within Sex	1.2%	1.0%	1.1%
	2-4	Count		2	2
		% within Sex		1.9%	.7%
	5-12	Count		1	1
		% within Sex		1.0%	.4%
	13-19	Count	1	11	12
		% within Sex	.6%	10.5%	4.5%
	20-24	Count	16	26	42
		% within Sex	9.8%	24.8%	15.6%
	25-29	Count	26	17	43
		% within Sex	15.9%	16.2%	16.0%
	30-39	Count	54	22	76
		% within Sex	32.9%	21.0%	28.3%
	40-49	Count	41	14	55
		% within Sex	25.0%	13.3%	20.4%
	50-59	Count	18	4	22
		% within Sex	11.0%	3.8%	8.2%
	60-69	Count	2	5	7
		% within Sex	1.2%	4.8%	2.6%
	70+	Count	1		1
		% within Sex	.6%		.4%
Unknown	Count	1		1	
	% within Sex	.6%		.4%	
Total		Count	164	105	269
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1	1	2
		% within Sex	.6%	1.0%	.7%
	5-12	Count	3	4	7
		% within Sex	1.8%	3.8%	2.6%
	13-19	Count		5	5
		% within Sex		4.8%	1.9%
	20-24	Count	5	12	17
		% within Sex	3.0%	11.4%	6.3%
	25-29	Count	15	23	38
		% within Sex	9.1%	21.9%	14.1%
	30-39	Count	51	31	82
		% within Sex	31.1%	29.5%	30.5%
	40-49	Count	54	18	72
		% within Sex	32.9%	17.1%	26.8%
	50-59	Count	28	6	34
		% within Sex	17.1%	5.7%	12.6%
	60-69	Count	6	3	9
		% within Sex	3.7%	2.9%	3.3%
	70+	Count	1	2	3
		% within Sex	.6%	1.9%	1.1%
Total		Count	164	105	269
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	84	29	113
		% within Sex	51.2%	27.6%	42.0%
	African American	Count	71	69	140
		% within Sex	43.3%	65.7%	52.0%
	Hispanic	Count	6	5	11
		% within Sex	3.7%	4.8%	4.1%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	1.2%	1.0%	1.1%
	Not Specified	Count	1	1	2
		% within Sex	.6%	1.0%	.7%
Total	Count	164	105	269	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	75		75
		% within Sex	45.7%		27.9%
	IDU	Count	26	20	46
		% within Sex	15.9%	19.0%	17.1%
	M-M & IDU	Count	17		17
		% within Sex	10.4%		6.3%
	Hemophiliac	Count	1		1
		% within Sex	.6%		.4%
	Heterosexual Contact	Count	8	33	41
		% within Sex	4.9%	31.4%	15.2%
	Transfusion	Count	3	4	7
		% within Sex	1.8%	3.8%	2.6%
	Not Classified	Count	30	42	72
		% within Sex	18.3%	40.0%	26.8%
	Ped Parent at Risk	Count	4	6	10
		% within Sex	2.4%	5.7%	3.7%
Total	Count	164	105	269	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	4	108	1	113
		% within Adult-Ped	40.0%	41.9%	100.0%	42.0%
	African American	Count	6	134		140
		% within Adult-Ped	60.0%	51.9%		52.0%
	Hispanic	Count		11		11
		% within Adult-Ped		4.3%		4.1%
	Am Indian-Alaskan	Count		3		3
		% within Adult-Ped		1.2%		1.1%
	Not Specified	Count		2		2
		% within Adult-Ped		.8%		.7%
Total	Count	10	258	1	269	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	4	159	1	164
		% within Adult-Ped	40.0%	61.6%	100.0%	61.0%
	Female	Count	6	99		105
		% within Adult-Ped	60.0%	38.4%		39.0%
Total		Count	10	258	1	269
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin